

Test Report

Report No.: RGST160914400R01

Revision Date: Sep 23, 2016

Page 1 of 4

Instead of RGST160914400

Date: Sep 22, 2016

Applicant

Address

Report on the submitted sample(s) said to be:

Product Name : Cutting board, 26x18cm / Cutting board, 35x30cm / Cutting board, 48x27cm / Salad server
Model : 31111/31112/31113/31114
Destination country : Sweden
Sample(s) received date : Sep 14, 2016
Testing period : From Sep 14, 2016 to Sep 22, 2016

Test Request

Conclusion

- | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| (1) As specified by client, to determine the Pentachlorophenol(PCP) content in the submitted sample(s) in accordance with European Commission Regulation (EC) No 1935/2004. | Pass |
| (2) As specified by client, to determine the Specific migration of Pentachlorophenol(PCP) in the submitted sample(s) in accordance with European Commission Regulation (EC) No 1935/2004 and Regulation AP (2004)2 on cork stoppers and other cork materials and articles intended to come into contact with foodstuffs.. | Pass |
| (3) As specified by client, to determine the Specific migration of Trichlorophenols (TriCP) in the submitted sample(s) in accordance with European Commission Regulation (EC) No 1935/2004 and Regulation AP (2004)2 on cork stoppers and other cork materials and articles intended to come into contact with foodstuffs.. | Pass |
| (4) As specified by client, to determine the Specific migration of Formaldehyde in the submitted sample(s) in accordance with European Commission Regulation (EC) No 1935/2004. | Pass |

Prepared by:

Wendy

Wendy Xia

Report Producer

Checked by:

Ben

Ben Miao

Technical Supervisor



Approved by:

M

Fanjun Li

Technical Manager

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Shenzhen General Standard Testing Services Co.,Ltd

2/F&3/F-5/F East Wing, Building C10, Zhu'ao 2nd industrial zone, Xixiang Street, Bao'an District, Shenzhen, Guangdong, China

Tel: 86-0755-36307999 <http://www.gst-lab.com>

USA • Hong Kong • Shenzhen • Shanghai • Tianjin

Test Report

Report No.: RGST160914400R01


Revision Date: Sep 23, 2016

Page 2 of 4

Instead of RGST160914400

Date: Sep 22, 2016

Photograph(s) of Sample



GST authenticate the photo on original report only

Specimen Description:

No.	Test part(s) name
1	Large Cutting Board(Material: wood)

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Shenzhen General Standard Testing Services Co.,Ltd

2/F&3/F-5/F East Wing,Building C10,Zhu'ao 2nd industrial zone,Xixiang Street,Bao'an District, Shenzhen, Guangdong, China

Tel: 86-0755-36307999 <http://www.gst-lab.com>

USA • Hong Kong • Shenzhen • Shanghai • Tianjin

Test Report

Report No.: RGST160914400R01

Revision Date: Sep 23, 2016

Page 3 of 4

Instead of RGST160914400

Date: Sep 22, 2016

Results:

(1) Pentachlorophenol(PCP) content

Test Method: With reference to ISO 17070:2015

Test item(s)	Unit	MDL	Maximum Permissible Limit	Result(s)
				1
Pentachlorophenol(PCP)	mg/kg	0.1	0.15	N.D.

(2) Specific migration of Pentachlorophenol(PCP)

Test Method: With reference to BS EN13130-1:2004

Test Condition: 3% Acetic acid (w/v) in aqueous solution, 70°C,0.5hour

Test item(s)	Unit	MDL	Maximum Permissible Limit	Result(s)
				1
Specific migration of Pentachlorophenol(PCP)	µg/kg	0.15	0.15	N.D.

(3) Specific migration of Trichlorophenol (TriCP)

Test Method: With reference to BS EN13130-1:2004

Test Condition: 3% Acetic acid (w/v) in aqueous solution, 70°C,0.5hour

Test item(s)	Unit	MDL	Maximum Permissible Limit	Result(s)
				1
Specific migration of Trichlorophenol (TriCP)	µg/kg	0.15	2.0	N.D.

(4) Specific migration of Formaldehyde

Test Method: With reference to BS EN 13130-1:2004&BS EN 13130-23:2005

Test Condition: 3% Acetic acid (w/v) in aqueous solution, 70°C,0.5hour

Test item(s)	Unit	MDL	Maximum Permissible Limit	Result(s)
				1
Formaldehyde	mg/kg	0.1	15	N.D.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Shenzhen General Standard Testing Services Co.,Ltd

2/F&3/F-5/F East Wing, Building C10, Zhu'ao 2nd industrial zone, Xixiang Street, Bao'an District, Shenzhen, Guangdong, China

Tel: 86-0755-36307999 <http://www.gst-lab.com>

USA • Hong Kong • Shenzhen • Shanghai • Tianjin



Test Report

Report No.: RGST160914400R01

Revision Date: Sep 23, 2016

Page 4 of 4

Instead of RGST160914400

Date: Sep 22, 2016

Note:

- mg/kg=milligram per kilogram
- µg/kg = microgram per milliliter
- mg/dm² = milligram per square decimeter
- N.D. =Not Detected (<MDL)
- MDL=Method Detection Limit
- As specified by client, only the Large Cutting Board was analyzed.

*** End of Report ***

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Shenzhen General Standard Testing Services Co.,Ltd

2/F&3/F-5/F East Wing,Building C10,Zhu'ao 2nd industrial zone,Xixiang Street,Bao'an District, Shenzhen, Guangdong, China

Tel: 86-0755-36307999 <http://www.gst-lab.com>

USA • Hong Kong • Shenzhen • Shanghai • Tianjin